Subject Index for
Systems and Computers in Japan, Volume 23, 1992

3-D images: **11**, 41-50
3-D magnetic digitizer: **6**, 85-93
3-D object recognition system: **7**, 100-108
3-D structure: **7**, 45-55
3-D vector operations: **5**, 12-23

Absolute stability of neural networks: **3**, 102-109
Abstract data type: **11**, 1-16
Abstract sequential machine: **7**, 1-11
Acceleration of convergence: **8**, 46-54
Acquiring strategies: **5**, 83-93
Adaptive Laplacian-Gaussian filter: **12**, 55-65
Adaptive modeling: **10**, 14-26
Algebraic language: **7**, 1-11
Algebraic specifications: **2**, 1-13; **11**, 1-16
Alias-free sampling method: **10**, 100-108
Ambiguity: **13**, 66-75
Animal silhouette: **7**, 66-77
Anonymous communication: **9**, 11-18
Anti-aliasing: **8**, 65-74
Area coherency: **8**, 65-74
Array processing: **10**, 1-13
Artificial intelligence: **9**, 56-66; **12**, 29-43; **12**, 93-105
Artificial neural networks: **1**, 101-111
Artificial reality: **12**, 44-54
ASL language: **7**, 1-11
Assembly illustration: **9**, 88-104
Associations: **8**, 75-84
Asynchronous network with faulty elements: **7**, 12-22
ATMS: **6**, 62-74
Automatic compiler generation: **2**, 1-13
Auxiliary line: **9**, 88-104
Average projection filter (APF): **1**, 69-78; **1**, 79-88

Backpropagation: **8**, 46-54
Backpropagation-through-time algorithm: **13**, 90-107
Base-m n-cube: **8**, 1-12
Benchmark test: **10**, 1-13
Binocular vision: **8**, 55-64
Biocomputing: **7**, 35-44
Biodevices: **7**, 35-44
Bioelectrical impedance: **5**, 32-42
Biosignals: **9**, 19-31
Bit serial image processing: **2**, 64-80
BL addressing: **10**, 1-13
Block coding by image division method: **2**, 92-100
Block noise reduction: **2**, 92-100
Blood cell image: **6**, 75-84
Blur circle: **10**, 81-91
Blurred edge model: **4**, 57-68
Boolean set operations: **6**, 94-111
Boundary representation: **6**, 94-111
Brownian motion model: **8**, 26-35

CAD: **6**, 94-111
CAD database: **13**, 15-27
Calculus of communication systems: **1**, 1-14
Camera locus: **7**, 45-55
Cancel-declaration unit: **9**, 1-10
Cardiopulmonary bypass: **11**, 74-84
Character recognition: **5**, 55-66
Checkpoint: **13**, 42-53
Cineangiogram: **12**, 55-65
Classification problem: **12**, 29-43
Clutter: **12**, 83-92
CMOS-FETs: **2**, 39-50
COPIS: **10**, 54-66
Co-articulation: **6**, 52-61
Cognitive modeling: **9**, 56-66
Cognitive science: **9**, 56-66
Collision avoidance: **10**, 54-66
Color combinations: **10**, 42-53
Color filter: **6**, 75-84
Color image processing: **13**, 76-89
Color-reflection model: **12**, 1-12
Combinational circuits: **14**, 35-44
Communication complexity: **7**, 12-22
Competitive learning: **1**, 49-68; **2**, 101-112
Compiler generation from algebraic specifications: **2**, 1-13
Compilers: **7**, 1-11
Complexification: **8**, 75-84
Complexity of logic circuits: **10**, 27-42
Component image: **9**, 67-77
Component process: **8**, 13-25
Computation speed improvements: **5**, 1-11
Computed tomography (CT): **12**, 75-82
Computer architecture: **5**, 12-23
Computer graphics: **5**, 12-23; **7**, 89-99
Computer simulation: **9**, 42-55
Computer vision: **6**, 62-74; **9**, 56-66; **10**, 92-99; **12**, 66-74

Computervision: **12**, 1-12
Conceptual clustering: **12**, 29-43
Concurrency control: **6**, 14-25
Concurrent processing: **1**, 1-14
Cone-beam projection: **12**, 75-82
Conic mirror: **10**, 54-66
Connectivity problem: **7**, 12-22
Constraint satisfaction: **11**, 29-40
Contour: **9**, 78-87
Contour extraction: **4**, 26-35
Contour line images: **2**, 81-91
Control models for parallel computation: **14**, 1-12
Convex/concave structure generalization: **1**, 89-100
Cooperative integration: **1**, 25-37
Coronary artery stenosis: **12**, 55-65
Correlation matching algorithm: **8**, 26-35
Craniofacial surgery: **7**, 89-99
Cross-validation method: **4**, 92-104
Cyclic pipeline system: **10**, 1-13

Data modeling: **10**, 14-26
De Morgan's theorem: **6**, 94-111
Deadlock: **9**, 1-10
Deductive databases: **13**, 15-27
Defocused image: **10**, 81-91
Delayed execution: **14**, 13-23
Demster-Shafer theory: **11**, 96-107
Diagnosis: **11**, 96-107
Diameter estimation: **12**, 55-65
Dichromatic reflection model: **12**, 1-12
Different aperture size: **10**, 81-91
Digital figure decomposition: **4**, 80-91
Direct manipulation: **12**, 44-54
Directional derivatives: **11**, 85-95
Disk access algorithm: **13**, 28-41
Disk drives: **13**, 28-41
Disparity: **8**, 55-64
Distance features of a figure: **4**, 80-91
Distributed algorithm: **7**, 12-22
Distributed computer systems: **13**, 42-53
Document retrieval system: **2**, 24-38
Downtime: **13**, 42-53
DP matching method: **14**, 61-71
Dynamic image processing: **3**, 13-25
Dynamic scheduling system: **11**, 29-40

Edge detection: **12**, 55-65
Edge feature determination: **4**, 57-68
Edge loop: **6**, 94-111
Edge tracing: **5**, 94-104
Efficient distributed algorithm: **3**, 1-12
Efficient network structure updates: **6**, 26-34
Eigenvalue decomposition: **8**, 36-45
Electromagnetic coupling: **8**, 85-96
Electronic filing system: **2**, 24-38
Elimination of hidden units: **8**, 46-54
Ellipsoid-expansion process: **7**, 66-77
Energy function: **8**, 36-45
Energy learning faculty: **4**, 26-35
Equivalence class: **10**, 27-42
Estimate generalization capability: **4**, 92-104
Ethernet: **11**, 17-28
EXOR logic: **10**, 27-42
Existential density: **11**, 41-50
Expert system: **6**, 35-51; **11**, 29-40; **11**, 96-107
Explanation capability: **12**, 93-105
Extended message passing: **6**, 1-13
Eye: **9**, 42-55
Eye movement: **6**, 85-93
Eye tracker: **6**, 85-93

Facial expressions: **12**, 13-28
Facial modeling: **12**, 13-28
Fan-beam projection: **12**, 75-82
Fault diagnosis: **14**, 35-44
FEP: **13**, 42-53
Feature extraction: **9**, 42-55
Feedback control: **7**, 56-65
FFT and correlation technique: **9**, 32-41
FIR filter: **10**, 100-108
Figure topological properties: **4**, 80-91
Fine-grain parallel processor: **14**, 13-23; **14**, 24-34
Fingerprint classification: **3**, 89-101
Finite state machine: **8**, 13-25
Fitness evaluation: **5**, 32-42
Flexible model: **6**, 52-61
Force feedback: **5**, 94-104
Formal semantics: **11**, 1-16
Formal specification: **13**, 1-14
Fourier spectrum: **10**, 81-91
Functional electrical stimulation: **7**, 56-65
Fuzzy interference: **3**, 13-25

Gait measuring: **4**, 69-79
Garbage collection: **8**, 65-74
Gaussian function: **10**, 81-91
Gaze detection: **9**, 42-55
Gaze point: **6**, 85-93
Generate-and-test architecture: **6**, 35-51
Geometrical optics: **10**, 81-91
Gesture recognition: **7**, 78-88
Global equilibrium: **1**, 49-68
Graph representation of logic functions: **1**, 15-24

Halted computer: **11**, 17-28
Hand gesture recognition method: **3**, 38-48

Hand shape input device: **3**, 38-48
Handwriting: **5**, 55-66
Hardware neuron model: **14**, 84-98
Harmonious color: **10**, 42-53
Head motion: **6**, 85-93
Head motion detection system: **7**, 78-88
Head-reader: **7**, 78-88
Heart rate variability: **10**, 100-108
Helical scan: **12**, 75-82
HIMADES: **6**, 94-111
Hidden Markov model: **14**, 61-71
Hidden surface removal: **8**, 65-74
Hierarchical data structure: **3**, 26-37
High speed algorithm: **9**, 78-87
High-speed processing: **2**, 64-80; **13**, 76-89
High-speed recovery: **13**, 42-53
Hopfield net: **3**, 49-61
Horizontal line: **7**, 45-55
Hot-standby: **13**, 42-53
Human factors: **11**, 62-73
Human interaction: **6**, 85-93
Human interface: **11**, 62-73
Hypercube: **8**, 1-12

IDATEN image processing system: **13**, 76-89
Ideal time complexity: **7**, 12-22
Image analysis: **12**, 13-28
Image database: **9**, 67-77
Image database: **10**, 14-26
Image division method: **2**, 92-100
Image processing: **2**, 64-80; **3**, 13-25; **8**, 97-105; **9**, 42-55; **9**, 78-87; **11**, 62-73
Image quality improvement: **2**, 92-100
Image recognition: **9**, 56-66; **10**, 14-26
Image reconstruction in MRI: **3**, 62-74
Image restoration: **1**, 69-78; **1**, 79-88
Image sensors: **7**, 78-88
Image subtraction: **6**, 75-84
Image synthesis: **9**, 67-77
Image understanding: **9**, 56-66
Image understanding: **9**, 88-104
Immunity: **5**, 43-54
Incident light: **10**, 92-99
Inclined line: **7**, 45-55
Indoor environment: **7**, 45-55
Industrial automation: **14**, 45-60
Information classification: **5**, 83-93
Information criterion: **4**, 92-104
Information redundancy: **6**, 26-34
Information security: **9**, 11-18
Infrared illumination: **9**, 42-55
Infrared optical telemetry: **9**, 19-31
Input devices: **5**, 94-104
Input failures: **13**, 66-75
Inspection: **9**, 78-87
Instruction-level parallelism: **14**, 13-23; **14**, 24-34
Intelligent tutoring system: **12**, 93-105
Interconnection network: **8**, 1-12
Interconnection problems: **7**, 35-44
Interface: **6**, 85-93
Interval maxima computation: **5**, 1-11
Interval-based matching: **1**, 25-37
Intracranial volume: **7**, 89-99
Ion channel: **11**, 51-61
Iterative reconstruction: **3**, 62-74

Joint functionality: **7**, 100-108

Kalman filter: **7**, 45-55
Knowledge Acquisition and Utilization System: **5**, 83-93
Knowledge acquisition frame: **12**, 29-43
Knowledge engineering: **12**, 29-43
Knowledge processing: **6**, 35-51

LAN networks: **2**, 14-23
Lambertian surface: **11**, 85-95
Lateral printed strings: **12**, 83-92
Learning: **5**, 43-54
Learning algorithm: **1**, 101-111; **8**, 85-96
Learning by observation: **12**, 29-43
Learning of novel patterns: **4**, 36-46
Letter recognition: **12**, 83-92
Letter string: **12**, 83-92
LIW processor: **14**, 13-23
Light-emitting diode stimulation: **9**, 32-41
Linear degradation model: **1**, 79-88
Linear system analysis: **9**, 32-41
LODES: **2**, 14-23
Local area networks: **11**, 17-28
Local intensity variation: **8**, 26-35
Lock out state: **9**, 1-10
Logic design: **7**, 35-44
Logic functions: **1**, 15-24
Logic minimization: **10**, 27-42
Logic networks: **7**, 35-44
Logic operation of binary image: **6**, 75-84
Loosely coupled multiprocessor: **4**, 1-13
Lower extremities: **7**, 56-65
Lowpass filtering method: **10**, 100-108
Lyapunov functions: **3**, 102-109

Machine learning: **12**, 29-43
Magic set method: **13**, 15-27
Magnetic resonance image reconstruction: **3**, 62-74
Magnetic resonance imaging: **1**, 38-48

Maintenance: **11**, 96-107
Maintenance algorithm: **11**, 17-28
Man-machine interface: **9**, 42-55
Man-machine system: **11**, 62-73
Man-made environments: **10**, 54-66
Markov random field (MRF) image model: **4**, 26-35
Maximum likelihood function: **7**, 23-34
Mechanical impedance: **7**, 56-65
Medical imaging: **7**, 89-99
Membrane current: **11**, 51-61
Memory space: **11**, 41-50
Metallic objects: **12**, 1-12
MIMD system: **10**, 1-13
Microcomputer control: **11**, 74-84
Microelectroretinogram: **9**, 32-41
Minimal automata realization theorem: **4**, 69-79
Minimalization problems: **3**, 49-61
Minimum-weight spanning tree (MST): **3**, 1-12
MOS networks: **1**, 15-24
MOS variable-capacitance device: **14**, 84-98
Mobile robots: **10**, 54-66; **14**, 45-60
Model generation: **10**, 14-26
Model-based object recognition technique: **7**, 100-108
Modeling and analyzing of processing control: **6**, 1-13
Molecular computing: **7**, 35-44
Monitors: **1**, 1-14
Most similar string search: **2**, 24-38
Motion analysis: **8**, 97-105; **10**, 92-99; **11**, 62-73; **12**, 66-74
Motion field: **12**, 66-74
Motion representation: **10**, 67-80
MRI imaging: **2**, 51-63
Multiangle parallel (MAP) operation: **3**, 75-89
Multidimensional nonzero spatial objects: **3**, 26-37
Multilevel logic networks: **2**, 39-50
Multiple contexts: **6**, 62-74
Multiple instruction, multiple data stream (MIMD): **5**, 67-82
Multiple similarity method: **5**, 43-54
Multiple stereo matching algorithms: **1**, 25-37
Multiple-valued logic: **7**, 35-44
Multiprocessor super-linear speedup: **13**, 54-65
Multiprocessor system: **14**, 1-12
Multitransition neural network: **3**, 49-61
Multivalued Kleenean systems: **13**, 66-75
Multivalued logic: **13**, 66-75
Multiversion concurrency control: **9**, 1-10
Multiversion database: **6**, 14-25
Mutually connected neural network: **3**, 49-61

Natural language specification: **11**, 1-16
Negative query: **13**, 15-27
Network fingerprint classification: **3**, 89-101
Network structures: **6**, 26-34
Neural network: **3**, 102-109; **3**, 89-101; **4**, 57-68; **4**, 92-104; **8**, 46-54; **8**, 85-96; **10**, 42-53; **14**, 61-71; **14**, 84-98
Neural network model: **1**, 49-68; **4**, 14-25
Neural network relaxation model: **5**, 67-82
Neuron: **11**, 51-61
Neuron model: **4**, 36-46
Noise: **5**, 43-54
Noise screening: **11**, 74-84
Nonhierarchical interconnection network: **4**, 1-13
Nonhomogeneous Poisson process: **7**, 23-34
Nonlinear optimization methods: **1**, 101-111
Nonmetallic objects: **12**, 1-12
Nonrigid bodies: **10**, 67-80
NP-hard practical algorithm: **13**, 54-65

Object database system: **11**, 29-40
Object model: **12**, 93-105
Object recognition process: **7**, 66-77
Object understanding: **12**, 93-105
OCR: **5**, 55-66
Omnidirectional monitoring: **10**, 54-66
Omnidirectional view: **4**, 47-56
Optical flow: **8**, 97-105; **12**, 66-74
Optical model: **10**, 92-99; **12**, 66-74
Optimal binary image representation: **5**, 67-82
Optimal restoration filter: **1**, 69-78
Orthographic projection: **11**, 85-95
Overhead: **13**, 42-53

P-type logic functions: **13**, 66-75
Parallel branch-and-bound algorithm: **4**, 1-13
Parallel computing: **5**, 67-82; **14**, 1-12
Parallel light beams: **11**, 85-95
Parallel logic operations: **3**, 75-89
Parallel processing: **5**, 12-23; **7**, 35-44; **8**, 1-12
Parallel random-access machine: **5**, 24-31
Parallel search: **13**, 54-65
Paraplegia: **7**, 56-65
Patient motion during MRI: **1**, 38-48
Pattern recognition: **5**, 55-66; **7**, 66-77; **9**, 56-66; **9**, 78-87
Perception: **8**, 75-84
Perception cycle: **12**, 44-54
Perceptual organization: **6**, 62-74
Perceptual phoneme boundary: **6**, 52-61
Performance evaluation: **14**, 24-34
Petri net: **14**, 1-12
Petrochemical plant: **13**, 15-27
PFM modulation: **9**, 19-31
Phoneme recognition: **14**, 72-83
Photo-realistic images: **5**, 12-23

Photometric stereo and flow fields: **11**, 85-95
PI control: **11**, 74-84
Picture coding systems: **7**, 78-88
Piping and instruments diagram: **13**, 15-27
Plausible reasoning: **11**, 96-107
Point-based matching: **1**, 25-37
Priority bus system: **5**, 24-31
Privacy: **9**, 11-18
Probability: **11**, 96-107
Process model: **11**, 29-40
Processing control: **6**, 1-13
Production scheme: **6**, 62-74
Programming systems: **7**, 1-11
Protocol simulation and evaluation: **13**, 1-14
Protocol specification, validation, and synthesis: **8**, 13-25
Psychology: **9**, 56-66
Pupil image: **9**, 42-55

Quad tree: **8**, 65-74
Quaternary logic networks: **2**, 39-50

Range computer vision: **8**, 55-64
Range information from a single camera: **4**, 47-56
Ray tracing: **5**, 12-23; **9**, 42-55
Reaction time measurement: **5**, 32-42
Read time stamp: **9**, 1-10
Real time-image processing: **2**, 64-80
Recognition accuracy: **10**, 42-53
Recognition circuit: **14**, 84-98
Reconfigurable pipeline architecture: **13**, 76-89
Recurrent neural networks: **13**, 90-107
Recursive query processing: **13**, 15-27
Reed-Muller expression: **10**, 27-42
Reflection characteristics: **12**, 1-12
Region extraction: **9**, 67-77
Regularization: **10**, 92-99; **12**, 66-74
Regularization of contour images: **2**, 81-91
Relational algebra: **13**, 28-41
Relational database: **13**, 28-41
Reliable stereo: **8**, 55-64
Rigid bodies: **10**, 67-80
RMD-tree: **3**, 26-37
Robot guidance: **14**, 45-60
Rotating single camera: **4**, 47-56
Rule base: **6**, 62-74

Scanline conversion: **8**, 65-74
Scene disparity variation: **8**, 26-35
Scene interpolation: **6**, 62-74
Scene segmentation: **7**, 100-108
Scheduling: **13**, 54-65
Secondary memory system: **13**, 28-41
Segment-based matching: **1**, 25-37
Segmentation: **6**, 75-84
Self organization: **14**, 84-98
Self-organization architecture: **4**, 36-46
Self-organization of neural networks: **2**, 101-112
Semiconductor: **9**, 78-87
Sequential networks: **14**, 61-71
Set-valued logic: **7**, 35-44
Shape flow shading: **11**, 85-95
Shape interpolation methods: **2**, 51-63
Shape model acquisition: **1**, 89-100
Shape recognition: **1**, 89-100
Short-term memory system: **4**, 14-25
Simple parallel algorithm: **5**, 1-11
Simultaneous message passing on a bus: **5**, 24-31
Single CCD color TV camera: **6**, 75-84
Single version concurrency control: **9**, 1-10
Sinusoidal and random stimulation: **9**, 32-41
Smooth shading: **11**, 41-50
Software pipelining: **14**, 13-23
Software reliability growth model: **7**, 23-34
Software system organization: **4**, 69-79
Solid model: **6**, 94-111
Space station: **9**, 19-31
Spanning tree: **11**, 17-28
Speaker independent phoneme recognition: **14**, 72-83
Spectral analysis: **10**, 100-108
Spectrogram reading: **6**, 35-51
Speech database: **6**, 35-51
Speech labeling: **6**, 35-51
Speech recognition: **5**, 43-54; **6**, 52-61; **14**, 61-71; **14**, 72-83
Standard form: **8**, 36-45
State description diagram: **6**, 35-51
State transition models: **10**, 14-26
Static field inhomogeneity: **1**, 38-48
Steady vowel: **6**, 52-61
Stereo matching algorithm: **8**, 26-35
Stereo vision: **8**, 55-64
Stiffness control: **7**, 56-65
Stochastic algorithm: **4**, 26-35
Storage capacity: **8**, 75-84
Stuck-at fault: **14**, 35-44
Super-scalar processor: **14**, 24-34
Supervised learning: **13**, 90-107
Surface reconstruction: **2**, 81-91
Surgical simulation: **7**, 89-99
Synapse: **14**, 84-98
Synaptic connection weight: **8**, 85-96

TCP/IP-based internetworks: **2**, 14-23
Telemetry signals: **9**, 19-31
Template matching: **9**, 78-87

Temporal cortex: **4**, 14-25
Thinning: **9**, 67-77
Three dimensional image information: **2**, 81-91
Three dimensional modeling: **12**, 13-28
Three-dimensional CT images: **12**, 75-82
Three-dimensional digital images: **2**, 51-63
Three-dimensional image: **7**, 89-99
Three-dimensional image construction: **2**, 51-63
Three-dimensional structure and motion: **10**, 67-80
Three-state channel: **11**, 51-61
Three-vowel sequence: **6**, 52-61
Time-delay neural network (TDNN): **14**, 72-83
Time-stamp ordering: **6**, 14-25
Time-varying image: **8**, 97-105
Topographical map feature extraction: **3**, 75-89
Trace data: **5**, 83-93
Training rule: **10**, 42-53
Trajectory of format frequency: **6**, 52-61
Transaction: **6**, 14-25
Translation: **11**, 1-16
Traveling salesman problem: **8**, 36-45
Trouble shooting: **11**, 96-107
Tutor signal: **12**, 83-92
Two-phase locking: **6**, 14-25
Two-state channel: **11**, 51-61

Uncertain string information: **2**, 24-38
Unitary token model: **13**, 1-14
Universal lateral circuit: **2**, 39-50
Untraceability: **9**, 11-18
Updating minimum spanning tree problem solution: **3**, 1-12

Vanishing point: **7**, 45-55
Various Euclidian traveling salesman problems: **2**, 101-112
Video-rate image processing: **13**, 76-89
Viewpoint: **12**, 93-105
Virtual work space: **12**, 44-54
Visual control system in unmanned vehicles: **3**, 13-25
VLIW processor: **14**, 13-23

Warnlock's algorithm: **8**, 65-74
Weibull distribution: **7**, 23-34
Weight control terminal: **8**, 85-96
Winged edge: **6**, 94-111
Word-spotting: **5**, 43-54
Workstation: **6**, 85-93
Write time stamp: **9**, 1-10

X.25 protocol: **8**, 13-25

Z buffer: **8**, 65-74
Zero-crossing method: **12**, 55-65
Zero-crossing point: **8**, 55-64